



Dräger Saver CF Compressed Air Escape Device

The Dräger Saver CF constant flow Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments. Simple to put on and featuring automatic operation, this hood-based, constant flow breathing device can be used with minimal training.

Dräger Saver CF



Benefits

When time is of the essence

In emergency situations, conditions can deteriorate rapidly. The air is suddenly filled with smoke or toxic fumes and rapid escape is the only available option. The Dräger Saver CF is highly visible and was designed to be suitable even for people with spectacles or facial hair. When opened, the Saver CF is automatically activated and begins feeding a continuous supply of breathing air to the hood. The Saver CF gives the wearer the precious additional time needed to exit the area safely.

Highly visible, even under adverse conditions

Available with either a soft bag or hard case, the Saver CF can be easily wall-mounted in strategic locations in potentially hazardous areas. Both black anti-static cases or bright orange bags feature photoluminescent panels and reflective stripes for enhanced visibility, even under low lighting conditions. The Saver CF is compact and lightweight and can be worn either as a chest bag or over the shoulder. Made from highly resistant materials, it is washable, flame retardant and allows water to drain freely.

Up to 15 minutes of lifesaving air

The Dräger Saver CF utilizes a simple, fail-safe reducer system with excellent flow characteristics, providing a consistent rate of air flow until the cylinder is completely empty. An alarm whistle sounds before the air supply is exhausted. It can be equipped with cylinders which can hold either a 10 or 15 minute supply of air. The flame-retardant hood incorporates a large visor for maximum peripheral vision.

New options for added safety and durability

The SE version includes a newly developed neck seal which offers unparalleled resistance to the effects of high temperatures, ozone and diesel fumes, which are often found in places such as engine rooms. This translates to years of reliable, worry-free service, even under adverse conditions. Standard Dräger Saver CF15 units can also be retrofitted with the SE option.

Low-maintenance protection

The Dräger Saver CF requires very little service or maintenance. A transparent window on both the soft bag and hard case lets you check the cylinder pressure gauge easily without unpacking the unit. You know the Saver CF is there for you when you need it.

Conforms to relevant standards and norms

The Dräger Saver CF complies with the essential health and safety requirements of the PPE Regulation (EU) 2016/425 and is tested and designed in accordance with EN1146 (2005), DNV GL Certificate of Fire Approval and DNV GL Certificate of Type Approval. It also complies with SOLAS Chapter II-2, the Marine Equipment Directive, the Pressure Equipment Directive and ISO 23269-1:2008. Anti-static versions are also suitable for use in explosive atmospheres (zone 0).

Accessories

ST-3991-2005



Dräger Saver CF Anti-Static Bags

Anti-static bag for Saver CF15 – Order No: 3360340

Anti-static bag for Saver CF10 – Order No: 3360339

Anti-static bag for Saver CF15 SE – Order No: 3360341

D-45937-2015



Saver Single Unit Storage Box

For storing a single Dräger Saver unit, with wall mounting

ST-3990-2005



Storage Cabinets for Saver

For storing or carrying Dräger Saver devices

ST-3986-2005



Saver Waistbelt

For carrying the device on your waist

Accessories



Safety Wash

For thorough cleaning, available in different sizes: 1 litre dispenser and 1 litre refill, 5 litre dispenser and 5 litre refill

Related Products



Dräger Oxy SR Series

The Dräger Oxygen Self Rescuer is a respiratory protective device for self-rescue which is independent of the ambient air. The device can be used maintenance-free over its entire service life. No additional pressure or weight tests are required.



Dräger Saver PP

The Saver PP positive pressure Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments, even if H_2S is present. Simple to put on and featuring automatic operation, this positive-pressure breathing device features an integrated full-face mask and can be used in conjunction with other safety equipment such as ear protectors or helmets.

Technical Data

	Dräger Saver CF10/CF15	Dräger Saver CF15 CC
Dimensions (H x L x T)	260 x 510 x 190 mm	260 x 560 x 190 mm
Cylinder charging pressure	200 bar	200 bar
Airflow to the hood	35 – 37 L/min	35 – 37 L/min
Operating temperature range	-15 °C to +60 °C	-15 °C to +60 °C
Approvals	EN 1146:2005	EN 1146:2005
	ISO 23269-1:2008	ISO 23269-1:2008
	SOLAS Chapter II-2	SOLAS Chapter II-2
	Marine Equipment Directive	Marine Equipment Directive
	Pressure Equipment Directive	Pressure Equipment Directive
	The Dräger Saver CF hard case and anti-static soft bag versions are suitable for use in explosive atmospheres (zone 0).	

Weight / volume	CF10	CF15	CF15 CC
Hard case, incl. cylinder	5.9 kg	6.9 kg	–
Soft bag, incl. cylinder	4.2 kg	5.2 kg	4.5 kg
Cylinder	2 L 200 bar (aluminium)	3 L 200 bar (steel)	3 L 200 bar (carbon composite)

Ordering Information

Dräger Saver CF – Soft bag versions

Saver CF10	3359734
Saver CF15	3359735
Saver CF10 Anti-static	3359736
Saver CF15 Anti-static	3359737
Saver CF15 (SE)	3359742
Saver CF15 (SE) Anti-static	3359743
Saver CF 15 CC	3360789

Dräger Saver CF – Hard case versions

Saver CF10	3359739
Saver CF15	3357940
Saver CF15 (SE)	3359744

Accessories

Saver waistbelt	3350396
Security tab	3350388
Wall mounting kit for carry case	3350431
Carry case	3350424
Storage wall box	3351823
Wall bracket (for hard case versions)	3360516

Safety Wash

1 litre dispenser	3380164
1 litre refill	3380165
5 litre dispenser	3380166
5 litre refill	3380167

Not all products, features, or services are for sale in all countries. Trademarks mentioned herein are the property of its respective owner. Trademarks may be owned by Drägerwerk AG & Co. KGaA (Dräger) or its affiliates in certain countries and not necessarily in the country in which this material is released. Visit www.draeger.com/trademarks for the current status of Dräger's trademarks.

Corporate Headquarters

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
■ www.draeger.com

Region Europe

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
☎ +49 451 882 0
☎ +49 451 882 2080
✉ info@draeger.com

Region Asia Pacific

Draeger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
☎ +65 6872 9288
☎ +65 6259 0398

Region Middle East, Africa

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
☎ +971 4 4294 600
☎ +971 4 4294 699
✉ contactuae@draeger.com

Region Central and South America

Dräger Safety do Brasil Ltda.
Al. Pucuruí, 51/61 – Tamboré
06460-100 Barueri, São Paulo
☎ +55 (11) 4689-4900
✉ relacionamento@draeger.com



Locate your Regional Sales
Representative at:
www.draeger.com/contact